IN THE CLAIMS

Claim 1 (cancelled)

2(Currently amended). An isolated polynucleotide encoding the <u>a</u> hyperthermostable protease <u>comprising the amino</u> acid sequence of SEQ ID NO:1 or functional equivalent thereof according to claim 1.

3(Original). The polynucleotide according to claim 2, which comprises the nucleotide sequence of SEQ ID NO:2.

4 (Currently amended). The An isolated polynucleotide encoding a hyperthermostable protease gene according to claim 2, which polynucleotide hybridizes to the polynucleotide comprising the nucleotide sequence of SEQ ID NO:2, wherein hybridization is carried out by incubating in 6XSSC at 50°C and washing with 2XSSC at 37°C.

5(Original). A method for preparing a hyperthermostable protease, comprising culturing a transformant containing the polynucleotide of claim 2, and harvesting a hyperthermostable protease from the culture.

Claim 6 (Cancelled)

7(Currently amended). An isolated polynucleotide encoding the \underline{a} hyperthermostable protease or a functional



equivalent thereof according to claim 6 comprising the amino acid sequence of SEQ ID NO:6.

8 (Original). The polynucleotide according to claim 7, which comprises the nucleotide sequence of SEQ ID NO:6.

9(Currently amended). The An isolated polynucleotide encoding a hyperthermostable protease according to claim 7, which polynucleotide hybridizes to the polynucleotide comprising the nucleotide sequence of SEQ ID NO:6, wherein hybridization is carried out by incubating in 6XSSC at 50°C and washing with 2XSSC at 37°C.

10(Original). A method for preparing a hyperthermostable protease, comprising culturing a transformant containing the polynucleotide of claim 7, and harvesting a hyperthermostable protease gene from the culture.



11 (New). A method for preparing a hyperthermostable protease, comprising culturing a transformant containing the polynucleotide of claim 4, and harvesting a hyperthermostable protease from the culture.

12 (New). A method for preparing a hyperthermostable protease, comprising culturing a transformant containing the polynucleotide of claim 9, and harvesting a hyperthermostable protease gene from the culture.

In re Appln. N 09/841,553

IN THE SEQUENCE LISTING

Please substitute the attached Sequence Listing section for the lasted filed Sequence Listing.